ASTRA

2027
CATALOG



QUICK SHIP, REDEFINED.

245,256 configurations, built and shipped in 72 hours. Six lines of walk-in coolers and freezers, plus Turbo Air refrigeration and Anthony glass doors.

- STANDARD
- PREMIUM
- TALL
- WIDE
- GLASS
- CONTINUOUS



WELCOME

INSIDE THIS CATALOG

Astra is Galaxy Group's family of walk-in coolers and freezers, built from panels we keep in stock in Kearny, New Jersey. These pages walk through the whole system: the Quick Ship lines, sizes and options, custom and warehouse builds, Turbo Air refrigeration and glass doors.

Every Quick Ship box in this catalog ships in 72 hours.

01 THE ASTRA SYSTEM

Astra offerings — 3
The Quick Ship family — 4
Quick Ship, redefined — 5
Ten billion ways to build — 6
Design it in 3D — 7

02 ASTRA QUICK SHIP

Size options — 8–9
How to order — 10
Combo box options — 11
Walk-in doors — 12
Specifications: Standard, Tall, Wide — 13
Specifications: Premium — 14
Additional options — 15

03 ASTRA CUSTOM

Astra Custom — 16
Replacement (plug) doors — 17

04 REFRIGERATION

Turbo Air refrigeration — 18
Top-mount packages — 19
Remote condensing units — 20
Low-profile evaporators — 21

05 ASTRA WAREHOUSE

Astra Warehouse — 22
Glass door walk-in coolers — 23
Stock glass door sets — 24
Outdoor package — 25

06 WARRANTY AND PROJECTS

Warranty and certifications — 26
Projects — 27

100,000 SQ FT

of closed and open storage in Kearny, NJ, stocked with panels from 5' to 20' long and a wide range of doors.

ONE ASTRA

ASTRA OFFERINGS

Every Astra ships in 72 hours. Pick the one that fits the job: a box from stock, a box built to your plan, or a full cold warehouse.

ASTRA QUICK SHIP

SHIP IT.



The secret is in the design. Astra is engineered like building blocks: a small set of standard panels makes every size and combo, and our warehouse is full of them.

SHIPS IN 72 HRS

in 245,256 configurations

- Cam-lock, foam-in-place polyurethane
- 4" or 5" thick panels
- Standard, Tall, Wide and Premium
- Glass-door merchandisers
- Coolers, freezers, 2-room combos

DO IT YOURSELF
Anyone handy can build it. Just turn the cam-locks with an Allen key.

PAGES 3–15, 23–25

ASTRA CUSTOM

SHAPE IT.



No size or layout limits. Any footprint to the inch, as many rooms as you need, doors on any wall. Quote and drawing within 24 hours.

SHIPS IN 72 HRS

built to your exact plan


- Continuous panels, 4", 5" or 6" thick
- Boxes up to 12' high
- Any number of rooms
- Swing or sliding doors, any wall
- Custom and replacement doors

PROFESSIONAL INSTALL
Installed by a professional team. Contact us to see if installation is available in your area.

PAGES 16–17

ASTRA WAREHOUSE

SCALE IT.



No size or layout limits. Cold storage at warehouse scale on continuous foam-in-place panels, designed in-house.

SHIPS IN 72 HRS

up to 20' high, from stock

- Continuous panels, 4", 5" or 6" thick
- Up to 20' high in stock, 40' by special order
- Ceiling panels hung from the roof
- Insulated concrete floor for forklifts
- Sliding-door corridors

PROFESSIONAL INSTALL
Installed by a professional team. Contact us to see if installation is available in your area.

PAGE 22

MASSIVE INVENTORY · KEARNY, NJ

500,000 SQ FT OF STOCK

Closed and open storage, stocked with panels from 5' to 20' long and a wide range of doors.



SIX WAYS TO SHIP IT

ASTRA QUICK SHIP FAMILY

Every Astra Quick Ship line comes from stock in 72 hours, in 245,256 configurations.

ASTRA STANDARD



The everyday walk-in, in every standard size.

- Coolers, freezers and combos
- 7'-3" high without floor, 7'7" with floor
- 5' to 12' wide, up to 30' long

ASTRA PREMIUM



Everything in Standard, finished to a higher spec.

- Same sizes as Standard
- Aluminum finish, diamond plate floors
- Digital thermometer

ASTRA TALL



Every Standard size at 10' high. Grow up, not out.

- 9'-8" high without floor, 10' with floor
- Coolers, freezers and combos
- More shelving, same footprint


ASTRA WIDE



Room for pallets, aisles and a full crew.

- 16' and 20' wide boxes
- 7'-3" high without floor, 7'7" with floor
- 9'-8" high without floor, 10' with floor

ASTRA GLASS



Glass doors that sell what's inside.

- 24" and 30" glass doors
- Astra SKY and Anthony door sets
- Beer cave doors



WHY ASTRA QUICK SHIP


QUICK SHIP, REDEFINED.

Quick ship used to mean a few small boxes and no choices. Astra changes four things.

01 ANY LAYOUT, FROM STOCK

Most quick-ship programs stock a handful of sizes. Astra ships 1,016 sizes as coolers, freezers and 2- to 5-room combos, with any door size, hinge and location.


245,256 CONFIGURATIONS · 72 HOURS



02 10' HIGH, NOT JUST 8'

The industry quick-ship standard is 8' high. A 10' box usually means a custom order: higher cost and 4 to 8 weeks of lead time. Astra Tall and Wide ship 10' high from stock.


10' HIGH · 72 HOURS, NOT 4–8 WEEKS



03 16' AND 20' WIDE BOXES

Room for pallets and aisles. Boxes like 16' × 40' and 20' × 40' are now Astra Quick Ship, 8' or 10' high. And 40' is just an example: go as long as you need.


16' · 20' WIDE · 72 HOURS



04 GLASS DOOR WALK-INS

A merchandising walk-in, ready to sell from. Astra Glass ships with Astra SKY or Anthony glass door sets of 2 to 5 doors, or a walk-through beer cave door.

2–5 GLASS DOORS · 72 HOURS



ASTRA QUICK SHIP · THE NUMBERS

TEN BILLION WAYS TO BUILD.

Most quick-ship programs stock a handful of box sizes. Astra builds and ships any of 245K configurations in 72 hours.

SIZES	CONFIGURATIONS	MODELS	
1K	**245K**	**10B**	**72**
1,016	245,256	10,497,571,252	HOURS
Box sizes across four lines	Sizes, box styles and cooler/freezer splits	Counting every door type and location	TO SHIP

LINE	SIZES	CONFIGURATIONS	WITH EVERY DOOR TYPE AND LOCATION
STANDARD 7'-7" high, 5'–12' wide	**290**	**69K** 69,310	**2.6B** 2,574,431,376
TALL 10' tall, 5'–12' wide	**290**	**69K** 69,310	**2.6B** 2,574,431,376
WIDE 16' and 20' wide, 8' and 10' tall	**204**	**51K** 51,188	**3.4B** 3,395,535,096
PREMIUM 7'-7" high, 5'–10' wide	**232**	**55K** 55,448	**2.0B** 1,953,173,404
TOTAL	**1K** 1,016	**245K** 245,256	**10B** 10,497,571,252

HOW WE DO IT

The secret is in the design.

Astra works like building blocks: one smart system, endless combinations.

500,000 sq ft of panels in stock. Every component is warehoused and ready to ship.

245K configurations, 72 hours. You pick the box. We already have the pieces.

AND WE STOPPED COUNTING THERE

The 10B models above are plain boxes. Every one of them can also take:

- Glass merchandiser doors, Astra SKY or Anthony
- A beer cave door
- Turbo Air top-mount or remote refrigeration

Add them in and the number gets too big to print.

ASTRA QUOTE

DESIGN IT IN 3D.

Build your walk-in in the Astra Quote 3D configurator. Pick the box, place the doors, add options and see every change live.

ASTRA QUOTE · 3D CONFIGURATOR

LINE
Astra Standard

SIZE
8' × 10'

TYPE
Cooler with floor


DOOR
36" left hinge, front

GLASS DOORS
Astra SKY, 2 doors

REFRIGERATION
Turbo Air top-mount

MODEL CWF8X10-36L

3D PLAN



Drag to rotate · scroll to zoom

01 PICK YOUR BOX
Line, size, height, cooler, freezer or a combo of up to 5 rooms.

02 PLACE THE DOORS
Door size, hinge side and wall. Add glass merchandiser doors.

03 ADD OPTIONS
Floor, ramp, lights, shelving, strip curtains and outdoor kits.

04 MATCH REFRIGERATION
Turbo Air top-mount or remote, sized to your box.

05 SEE IT IN 3D
Rotate, zoom and switch to plan view as you build.

06 GET YOUR QUOTE
Model code, price and drawing in minutes. Save or share it.

ASTRA QUICK SHIP

SIZE OPTIONS

ASTRA STANDARD

LENGTH \ WIDTH		7'-7" HIGH				
		5' 4'-11"	6' 6'-7"	8' 8'-2"	10' 9'-10"	12' 11'-6"
5'	4'-11"		✓	✓	✓	✓
6'	6'-7"	✓	✓	✓	✓	✓
8'	8'-2"	✓	✓	✓	✓	✓
10'	9'-10"	✓	✓	✓	✓	✓
12'	11'-6"	✓	✓	✓	✓	✓
13'	13'-1"	✓	✓	✓	✓	✓
15'	14'-9"	✓	✓	✓	✓	✓
17'	16'-5"	✓	✓	✓	✓	✓
18'	18'-1"	✓	✓	✓	✓	✓
20'	19'-8"	✓	✓	✓	✓	✓
21'	21'-4"	✓	✓	✓	✓	✓
23'	23'-0"	✓	✓	✓	✓	✓
25'	24'-7"	✓	✓	✓	✓	✓
26'	26'-3"	✓	✓	✓	✓	✓
28'	27'-11"	✓	✓	✓	✓	✓
30'	29'-6"	✓	✓	✓	✓	✓
31'	31'-2"	✓	✓	✓	✓	✓
33'	32'-10"	✓	✓	✓	✓	✓
34'	34'-5"	✓	✓	✓	✓	✓
36'	36'-1"	✓	✓	✓	✓	✓
38'	37'-9"	✓	✓	✓	✓	✓
39'	39'-4"	✓	✓	✓	✓	✓
41'	41'-0"	✓	✓	✓	✓	✓
43'	42'-8"	✓	✓	✓	✓	✓
44'	44'-3"	✓	✓	✓	✓	✓
46'	45'-11"	✓	✓	✓	✓	✓
48'	47'-7"	✓	✓	✓	✓	✓
49'	49'-3"	✓	✓	✓	✓	✓
51'	50'-10"	✓	✓	✓	✓	✓

ASTRA PREMIUM

LENGTH \ WIDTH		7'-7" HIGH			
		5' 4'-11"	6' 6'-7"	8' 8'-2"	10' 9'-10"
5'	4'-11"		✓	✓	✓
6'	6'-7"	✓	✓	✓	✓
8'	8'-2"	✓	✓	✓	✓
10'	9'-10"	✓	✓	✓	✓
12'	11'-6"	✓	✓	✓	✓
13'	13'-1"	✓	✓	✓	✓
15'	14'-9"	✓	✓	✓	✓
17'	16'-5"	✓	✓	✓	✓
18'	18'-1"	✓	✓	✓	✓
20'	19'-8"	✓	✓	✓	✓
21'	21'-4"	✓	✓	✓	✓
23'	23'-0"	✓	✓	✓	✓
25'	24'-7"	✓	✓	✓	✓
26'	26'-3"	✓	✓	✓	✓
28'	27'-11"	✓	✓	✓	✓
30'	29'-6"	✓	✓	✓	✓
31'	31'-2"	✓	✓	✓	✓
33'	32'-10"	✓	✓	✓	✓
34'	34'-5"	✓	✓	✓	✓
36'	36'-1"	✓	✓	✓	✓
38'	37'-9"	✓	✓	✓	✓
39'	39'-4"	✓	✓	✓	✓
41'	41'-0"	✓	✓	✓	✓
43'	42'-8"	✓	✓	✓	✓
44'	44'-3"	✓	✓	✓	✓
46'	45'-11"	✓	✓	✓	✓
48'	47'-7"	✓	✓	✓	✓
49'	49'-3"	✓	✓	✓	✓
51'	50'-10"	✓	✓	✓	✓

Available in every size: Cooler, Freezer or Combo, with or without floor.

ASTRA TALL

LENGTH \ WIDTH		10' HIGH				
		5' 4'-11"	6' 6'-7"	8' 8'-2"	10' 9'-10"	12' 11'-6"
5'	4'-11"		✓	✓	✓	✓
6'	6'-7"	✓	✓	✓	✓	✓
8'	8'-2"	✓	✓	✓	✓	✓
10'	9'-10"	✓	✓	✓	✓	✓
12'	11'-6"	✓	✓	✓	✓	✓
13'	13'-1"	✓	✓	✓	✓	✓
15'	14'-9"	✓	✓	✓	✓	✓
17'	16'-5"	✓	✓	✓	✓	✓
18'	18'-1"	✓	✓	✓	✓	✓
20'	19'-8"	✓	✓	✓	✓	✓
21'	21'-4"	✓	✓	✓	✓	✓
23'	23'-0"	✓	✓	✓	✓	✓
25'	24'-7"	✓	✓	✓	✓	✓
26'	26'-3"	✓	✓	✓	✓	✓
28'	27'-11"	✓	✓	✓	✓	✓
30'	29'-6"	✓	✓	✓	✓	✓
31'	31'-2"	✓	✓	✓	✓	✓
33'	32'-10"	✓	✓	✓	✓	✓
34'	34'-5"	✓	✓	✓	✓	✓
36'	36'-1"	✓	✓	✓	✓	✓
38'	37'-9"	✓	✓	✓	✓	✓
39'	39'-4"	✓	✓	✓	✓	✓
41'	41'-0"	✓	✓	✓	✓	✓
43'	42'-8"	✓	✓	✓	✓	✓
44'	44'-3"	✓	✓	✓	✓	✓
46'	45'-11"	✓	✓	✓	✓	✓
48'	47'-7"	✓	✓	✓	✓	✓
49'	49'-3"	✓	✓	✓	✓	✓
51'	50'-10"	✓	✓	✓	✓	✓

ASTRA WIDE

LENGTH \ WIDTH		7'-7" HIGH		10' HIGH	
		17' 16'-5"	20' 19'-8"	17' 16'-5"	20' 19'-8"
5'	4'-11"				
6'	6'-7"				
8'	8'-2"				
10'	9'-10"				
12'	11'-6"				
13'	13'-1"				
15'	14'-9"				
17'	16'-5"	✓	✓	✓	✓
18'	18'-1"	✓	✓	✓	✓
20'	19'-8"	✓	✓	✓	✓
21'	21'-4"	✓	✓	✓	✓
23'	23'-0"	✓	✓	✓	✓
25'	24'-7"	✓	✓	✓	✓
26'	26'-3"	✓	✓	✓	✓
28'	27'-11"	✓	✓	✓	✓
30'	29'-6"	✓	✓	✓	✓
31'	31'-2"	✓	✓	✓	✓
33'	32'-10"	✓	✓	✓	✓
34'	34'-5"	✓	✓	✓	✓
36'	36'-1"	✓	✓	✓	✓
38'	37'-9"	✓	✓	✓	✓
39'	39'-4"	✓	✓	✓	✓
41'	41'-0"	✓	✓	✓	✓
43'	42'-8"	✓	✓	✓	✓
44'	44'-3"	✓	✓	✓	✓
46'	45'-11"	✓	✓	✓	✓
48'	47'-7"	✓	✓	✓	✓
49'	49'-3"	✓	✓	✓	✓
51'	50'-10"	✓	✓	✓	✓

Available in every size: Cooler, Freezer or Combo, with or without floor.

ASTRA QUICK SHIP · MODEL CODES AND SIZES

HOW TO ORDER

Every Quick Ship box has a model code. Build yours left to right: line, style, size, door, then glass and refrigeration if you need them.

READING A QUICK SHIP MODEL CODE · SAMPLE: HCWF8X10-36R-S30C3-TM

H	CWF	8	X10	-36R	-S30C3	-TM
LINE	**STYLE**	**WIDTH**	**LENGTH**	**DOOR**	**GLASS · OPTIONAL**	**REFRIGERATION · OPTIONAL**
Blank = Standard H = Tall P = Premium	CNF cooler, no floor CWF cooler, floor FWF freezer · CMB combo	Nominal feet: 5, 6, 8, 10, 12, 16, 20	Nominal feet, up to 50'	30, 36 or 48 + L or R hinge C = corner door	S = Astra SKY, A = Anthony 30 = door width C3 = 3 cooler doors (F = freezer)	TM = top-mount RM = remote blank = box only

Sample: Astra Tall cooler with floor, 8' × 10', 36" right-hinged door, 3 Astra SKY 30" cooler glass doors, Turbo Air top-mount. More examples: **CNF8X10-36R** · **PCWF10X12-36L-RM** · **FWF8X20-30CR-RM** · **CMB8X18-11C7F-36L30L**

NOMINAL DEPTH (WIDTH) → OUTSIDE

5' 4'-11" STANDARD	**6'** 6'-7" STANDARD	**8'** 8'-2" STANDARD	**10'** 9'-10" STANDARD
12' 11'-6" STANDARD	**16'** 16'-5" WIDE	**20'** 19'-8" WIDE	



NOMINAL LENGTH → OUTSIDE

6'	6'-7"	**8'**	8'-2"	**10'**	9'-10"	**12'**	11'-6"	**13'**	13'-1"	**15'**	14'-9"	**17'**	16'-5"	**18'**	18'-1"	**20'**	19'-8"	**21'**	21'-4"
23'	23'-0"	**25'**	24'-7"	**26'**	26'-3"	**28'**	27'-11"	**30'**	29'-6"	**31'**	31'-2"	**33'**	32'-10"	**34'**	34'-5"	**36'**	36'-1"	**38'**	37'-9"
39'	39'-4"	**41'**	41'-0"	**43'**	42'-8"	**44'**	44'-3"	**46'**	45'-11"	**48'**	47'-7"	**49'**	49'-3"	**51'**	50'-10"				

Every depth continues in 500 mm steps to 100'. Astra Wide names its own lengths: 16' deep runs 16, 18, 19, 21, 22, 24...; 20' deep runs 20, 21, 22, 24, 26... (same outside sizes as above).

BOX STYLES

CNF	Cooler, no floor (walls set in U-channel on your slab)
CWF	Cooler with insulated floor
FWF	Freezer with floor (freezers always have a floor)
CMB	Combo with floor, 2 to 5 rooms
CMBNF	Combo without floor

OUTSIDE HEIGHTS

LINE	NO FLOOR	WITH FLOOR
Standard, Premium, Wide	7'-3"	7'-7"
Tall	9'-8"	10'-0"
5" panel option	7'-4"	7'-9"

COMBO BOX OPTIONS

Split any Quick Ship length into 2 to 5 rooms, each a cooler or a freezer and at least 3' long. Each room gets its own outside door, every layout comes with a drawing, and it all ships in 72 hours. Combos are why there are 245,256 configurations (page 5).




How a combo code reads: CMB8X18-11C7F-36L30L = 8' × 18' combo, an 11' cooler then a 7' freezer (left to right, seen from the front), with a 36" left-hinged door and a 30" left-hinged door.

CMB8X18-11C7F-36L30L — 2 rooms




CMB8X18-9C9F-36L30L — 2 rooms




CMB8X18-7F11C-30L36L — 2 rooms




CMB10X20-12C8F-36L36L — 2 rooms




CMB8X20-7C6F7C-30L30L30L — 3 rooms




CMB10X25-6F13C6F-30L36L30L — 3 rooms



CMB8X26-8C6F6F6C-36L30L30L30L — 4 rooms



CMB10X30-6C6F6C6F6C-30L... — 5 rooms



Cooler (C) Freezer (F)

Need a freezer you walk into through the cooler, or two doors in one room? That's Astra Custom, page 16.

WALK-IN DOORS


DOORS FOR ASTRA QUICK SHIP

Every Quick Ship box comes with a self-closing, flush-mounted walk-in door, hung left or right and shipped in stock.



ASTRA STANDARD

30" · 36" · 48" × 77"



FPD3077
-ML left · **-MR** right
-CR corner

FPD3677
-ML left · **-MR** right
-CR corner

FPD4877
-ML left · **-MR** right


EVERY DOOR

- Self-closing, spring-loaded hinges
- Flush-mounted
- Keyed locking handle
- 120V heater wire
- Vapor-proof light fixture
- Pressure relief vent on freezers
- Left or right hinge, corner door option

Option: diamond plate kick plate

ASTRA PREMIUM

30" · 36" × 77"



PFPD3077
-ML left · **-MR** right
-CR corner

PFPD3677
-ML left · **-MR** right
-CR corner

PREMIUM DOOR

Every Standard door feature, plus:

- Kick plates inside and out, standard
- Digital thermometer and light switch
- Prewired for lighting with a junction box
- Aluminum finish

Drawings show a right-hinged door (-MR), seen from outside the box. ML / MR: middle of the wall, left or right hinge. CR: corner door, right hinge. Clear opening below each door. Sliding, traffic and wide doors are on page 17; glass doors on page 23.

SPECIFICATIONS

ASTRA STANDARD • TALL • WIDE

One set of panels, doors and hardware across all three lines; only the footprint and height change.



AVAILABLE BOXES

CNF	Cooler, no floor	**CMB**	Combo with floor
CWF	Cooler with floor	**CMBNF**	Combo, no floor
FWF	Freezer with floor		

Combos have 2 to 5 rooms. Add H for Tall (e.g. HCWF); Wide uses the same codes in 16' and 20' widths.

PANELS

Insulation	Foamed-in-place polyurethane, CFC and HFC free
Thickness	4" or 5"
R-value	R28 coolers, R33 freezers
Locking system	Cam-lock (Allen key)
Finish, inside and out	24 ga pre-painted white galvanized steel

FLOOR

With floor	Insulated floor panel, 24 ga white galvanized steel, 600 lb/sq ft (foot traffic); aluminum diamond plate optional
Without floor (coolers)	Walls set on your floor in metal U-channel (2" legs)

DOORS

Sizes	30", 36" or 48" × 77", left or right hinge; corner door option
Hardware	Self-closing, spring-loaded hinges, flush-mounted, keyed locking handle
Electrical	120V/1P/1A heater wire; pressure relief vent on freezers; 120V vapor-proof light (bulb not included)
Options	Kick plate, sliding and traffic doors

SIZES AND HEIGHTS

Widths	Standard and Tall 5'–12'; Wide 16' and 20'
Lengths	Up to 50'
Outside height	Standard and Wide 7'-3" no floor, 7'-7" with floor; Tall and 10' Wide 9'-8" no floor, 10' with floor
Warranty	Panels 10 years; doors and parts 1 year

CERTIFICATIONS

SPECIFICATIONS

ASTRA PREMIUM

Astra Standard's panel system, in aluminum with a diamond plate floor and an upgraded door.



AVAILABLE BOXES

PCNF	Cooler, no floor	**PCMB**	Combo with floor
PCWF	Cooler with floor	**PCMBNF**	Combo, no floor
PFWF	Freezer with floor		

Standard codes with P in front, e.g. PCWF10X12.

PREMIUM VS STANDARD

FEATURE	ASTRA PREMIUM	ASTRA STANDARD
Finish	Aluminum, inside and out	White pre-painted galvanized steel
Floor	Heavy duty, aluminum diamond plate	Standard duty, white galvanized steel
Kick plates	Inside and outside the door	Optional
Door extras	Digital thermometer, light switch	–
Lighting	Door pre-wired for lighting	–
Junction box	Single electrical connection for the box	–

PANELS

Insulation	Foamed-in-place polyurethane, CFC and HFC free
Thickness	4" or 5"
R-value	R28 coolers, R33 freezers
Locking system	Cam-lock (Allen key)

DOORS

Sizes	30" or 36" × 77", left or right hinge
Hardware	Self-closing, spring-loaded hinges, flush-mounted, keyed locking handle
Electrical	120V/1P/1A heater wire; pressure relief vent on freezers; 120V vapor-proof light (bulb not included)

SIZES AND WARRANTY

Widths	5'–10'
Lengths	Up to 50'
Outside height	7'-3" no floor, 7'-7" with floor
Warranty	Panels 10 years; doors and parts 1 year

CERTIFICATIONS

ASTRA QUICK SHIP

ADDITIONAL OPTIONS

Finish the box your way. Add any of these to a Quick Ship box; most ship with the box in the same 72 hours.



SHELVING

NSF chrome wire shelving, laid out for your box, with a layout drawing



STRIP CURTAIN

Curtron strip curtain holds the cold in while the door is open




4 FT LED LIGHT

Vapor-tight LED interior light



EXTERIOR RAMP

Aluminum ramp, 36" or 48", for carts and hand trucks



DIAMOND PLATE FLOOR

Aluminum floor overlay for cart traffic (standard on Premium)



KICK PLATE

Stainless kick plate to protect the door face



SLIDING DOORS

5' × 7', 6' × 8' or 8' × 10', manual or motorized (page 17)



TRAFFIC DOORS

Double-acting impact doors for busy back-of-house aisles



CORNER DOOR

Door set at the corner of the box to free up wall space



GLASS DOOR FRONTS

Astra SKY or Anthony merchandiser doors (page 23)



OUTDOOR KIT

Vinyl rain roof cover and door hood (page 25)



REFRIGERATION

Turbo Air top-mount or remote systems (pages 18–21)

SERVICES Panel installation and top-mount installation (local; ask about your area) · 4-year extended refrigeration warranty

ASTRA CUSTOM · BUILT TO YOUR PLAN

ASTRA CUSTOM

Built to your exact outside dimensions, with no footprint or layout limits and up to 12' high. Astra Custom uses continuous foam-in-place panels from our stock, so it still ships in 72 hours. Send your floor plan: we return a quote and drawing within 24 hours.

Go Custom for odd sizes, heights other than Quick Ship's, more than one door in a room, sliding or partition doors, or lengths past the Quick Ship range.



SIZE

- Any outside size, to the inch
- No footprint or layout limits
- Up to 12' high; inside = outside – 8" (– 4" height without floor)

ROOMS

- Single cooler (with or without floor) or freezer
- Combos with as many rooms as you need
- Each room cooler or freezer, with or without floor, any length

PANELS

- Continuous foam-in-place panels, 4", 5" or 6" thick
- White galvanized steel finish
- Indoor or outdoor

DOORS · ON ANY WALL OR PARTITION

Swing 30" × 77"
Swing 36" × 77"
Swing 48" × 77"
Sliding 5' × 7'
Sliding 6' × 8'
Sliding 8' × 10'

Front, back, end walls or a partition. A freezer door can open into the cooler beside it.

ADD-ONS

Turbo Air refrigeration, glass fronts (single boxes and 2-room combos), wire shelving, strip curtains, and every option on page 15.

REQUIRED

PROFESSIONAL INSTALLATION

Astra Custom has no cam-locks. The box is built on site from continuous panels, cut and joined to your plan, so it must be installed by a trained, professional team.

1 CUT THE PANELS
Panels are cut to length on site with a circular saw.

2 BUILD THE CORNERS
Corners are built on site where the walls meet.

3 INSTALL THE TRIMS
Inside and outside trims finish every joint and edge.

SCAN FOR

INSTALLATION VIDEO AND MANUAL

Step-by-step video and the Astra Custom installation manual for your installer.

galaxygroupcorp.com/astra-manual

1
Send your space: plan, sketch or dimensions.

2
We return a quote and drawing within 24 hours.

3
Approve the drawing, doors, refrigeration and options.

4
We ship in 72 hours. Our team installs it; ask about coverage in your area.

ASTRA CUSTOM


REPLACEMENT (PLUG) DOORS

New doors for Astra Custom boxes, or replacements for the walk-in you already have. Built to your opening, for coolers and freezers.

SWING DOORS

30" · 36" · 48" WIDE · 110V HEATER

FWD · BOXES WITHOUT FLOOR (ON SLAB)




FWD3077
-R right · -L left hinge

FWD3677
-R right · -L left hinge

FWD4877
-R right · -L left hinge

FWD3069
-R right · -L left hinge

DWF · BOXES WITH FLOOR




DWF3677
-R right · -L left hinge


DWF4877
-R right · -L left hinge

SLIDING DOORS


5' × 7' TO 8' × 10'



5' × 7' SLIDING
-R slides right · -L slides left



6' × 8' SLIDING
-R slides right · -L slides left



8' × 10' SLIDING
-R slides right · -L slides left



SWING DOOR MODELS

MODEL	W × H	BOX
FWD3077	30" × 76.8"	Without floor
FWD3677	36" × 76.8"	Without floor
FWD4877	48" × 76.8"	Without floor
FWD3069	30" × 69"	Without floor
DWF3677	36" × 76.8"	With floor
DWF4877	48" × 76.8"	With floor

SLIDING DOOR MODELS

MODEL	W × H	OPERATION
SD-F-5X7	5' × 7'	Manual
MSD-F-5X7	5' × 7'	Motorized
SD-F-6X8	6' × 8'	Manual
MSD-F-6X8	6' × 8'	Motorized
SD-F-8X10	8' × 10'	Manual
MSD-F-8X10	8' × 10'	Motorized
MSD-KIT	–	Motor and install kit

-L / -R is read from outside the box: hinge side for swing doors, opening direction for sliding doors. Add it to the model, e.g. FWD3677-R.

All doors fit coolers and freezers, with a 110V heating element. Sizes are clear opening, W × H. Ⓜ = motor. Quick Ship doors are on page 12.

REFRIGERATION

Every Astra box ships box-only or with Turbo Air refrigeration, matched and quoted with the box. Two system types, each for indoor or outdoor boxes.



TOP-MOUNT PACKAGE

- Condensing unit and evaporator in one cabinet on the ceiling
- Factory pre-charged R-290, plugs in at 208-230V
- No refrigeration technician needed to charge
- Hot-gas defrost and hot-gas condensate
- 2-year parts and compressor, 1-year labor



REMOTE SPLIT SYSTEM

- Condensing unit outdoors, evaporator inside the box
- Scroll compressors from 1/2 to 10 HP
- Moves heat and noise out of the building
- For larger boxes and warehouses
- Installed and charged by a refrigeration technician

INDOOR OR OUTDOOR

	BOX INDOORS	BOX OUTDOORS
Top-mount	**STI** indoor package, rejects heat into the room	**STX** outdoor-rated package
Remote	**TS / TD** outdoor condensing unit on roof or pad, with **ADR / LED / TCA** evaporator	**TS / TD** outdoor condensing unit beside the box, with **ADR / LED / TCA** evaporator

COOLER · 35°F

Top-mount: STI / STX ...MP2 (medium temp)
Remote: TS...MR condensing unit + ADR air-defrost evaporator

FREEZER · −10°F

Top-mount: STI / STX ...LP2 (low temp)
Remote: TS / TD...XR condensing unit + LED electric-defrost evaporator

Capacity depends on box size, door openings, product load and ambient. We size every system against your project before quoting.

Turbo air REFRIGERATION SYSTEM TOP-MOUNT PACKAGES

Self-contained R-290 systems that drop into the Astra ceiling. EC fan motors, hot-gas condensate system, air defrost on coolers and hot-gas defrost on freezers. All models 208–230V, 1-phase, 60 Hz; no 115V or 3-phase versions. UL and NSF.



STI · INDOOR



STX · OUTDOOR

INDOOR	OUTDOOR	TEMP	BTU/H*	VOLT / PH	AMPS	PLUG**	W × D × H (IN)	CUT-OUT
STI055MP2	**STX055MP2**	Cooler	5,549	208–230 / 1	6.6	6-15P	53½ × 28 11/16 × 25⅝	25 × 25
STI078MP2	**STX078MP2**	Cooler	7,859	208–230 / 1	8.3	6-15P	53½ × 28 11/16 × 25⅝	25 × 25
STI110MP2	**STX110MP2**	Cooler	11,016	208–230 / 1	12.6	6-20P	53½ × 42⅛ × 25⅝	25 × 38½
STI155MP2	**STX155MP2**	Cooler	15,585	208–230 / 1	16.0	Hardwired	53½ × 42⅛ × 25⅝	25 × 38½
STI025LP2	**STX025LP2**	Freezer	2,539	208–230 / 1	6.4	6-15P	53½ × 28 11/16 × 25⅝	25 × 25
STI038LP2	**STX038LP2**	Freezer	3,782	208–230 / 1	7.6	6-15P	53½ × 28 11/16 × 25⅝	25 × 25
STI050LP2	**STX050LP2**	Freezer	5,039	208–230 / 1	12.2	6-20P	53½ × 42⅛ × 25⅝	25 × 38½
STI075LP2	**STX075LP2**	Freezer	7,491	208–230 / 1	14.6	Hardwired	53½ × 42⅛ × 25⅝	25 × 38½


*R-290 at 95°F ambient; 35°F room for coolers, –10°F for freezers. **Plug on indoor units only; outdoor units are hardwired and add a top hood. Height includes the 4" section that drops into the ceiling cut-out.

DRAIN **Indoor STI:** no drain needed, condensate evaporates in the unit. **Outdoor STX:** drain line required.


WARRANTY 2 years parts, 2 years compressor, 1 year labor. Optional 3-year extended compressor (5 years total).

OVERALL ELEVATION WITH A TOP-MOUNT


STANDARD · NO FLOOR
CNF cooler




STANDARD · WITH FLOOR
CWF / FWF



TALL · NO FLOOR
CNF cooler



TALL · WITH FLOOR
CWF / FWF



Drawn to scale. **Turbo Air installation requirements:** 2' clear above the unit for service and top-cover removal (red line = minimum building ceiling); at least 2" between a wall and the air inlet or outlet; evaporator side not over the door, with its airflow toward the door; roof level within ⅛" per foot. Indoor STI units need a 50–100°F room. Outdoor STX units mount on a curb, which adds the curb height to the overall.

REFRIGERATION SYSTEM Turbo air

REMOTE CONDENSING UNITS



Outdoor air-cooled units with Copeland scroll compressors, R-448A / R-449A. All 208–230V, 60 Hz; the model's last digit is the phase (2 = 1-phase, 3 = 3-phase).

Copeland

COOLER · MEDIUM TEMP (MR)

BTU/H at 95°F ambient, 25°F suction (35°F box)

MODEL	HP	VOLT / PH	RLA	LRA	MCA*	MOPD	BTU/H**	W × D × H (IN)	LBS
TS006MR404A2	½	208–230 / 1	6.0	35.7	15.0	15	6,998	28¼ × 24½ × 20¾	174
TS008MR404A2	¾	208–230 / 1	8.0	47.2	15.0	15	9,404	28¼ × 24½ × 20¾	173
TS010MR404A2	1	208–230 / 1	10.0	40.3	15.0	20	9,888	28¼ × 24½ × 20¾	176
TS015MR404A2A	1½	208–230 / 1	12.0	56.0	15.9	25	13,981	28¼ × 38½ × 20¾	234
TS015MR404A3A	1½	208–230 / 3	9.7	58.0	15.0	20	13,981	28¼ × 38½ × 20¾	234
TS020MR404A2A	2	208–230 / 1	15.7	68.0	20.6	30	16,540	28¼ × 38½ × 20¾	234
TS020MR404A3A	2	208–230 / 3	10.6	58.0	15.0	20	16,540	28¼ × 38½ × 20¾	234
TS025MR404A2A	2½	208–230 / 1	18.0	75.0	23.4	40	18,163	28¼ × 38½ × 20¾	234
TS025MR404A3A	2½	208–230 / 3	13.7	73.0	18.1	30	18,163	28¼ × 38½ × 20¾	234
TS030MR404A2	3	208–230 / 1	23.2	112.0	31.4	50	26,470	30¼ × 38½ × 27¼	285
TS030MR404A3	3	208–230 / 3	15.2	93.0	21.4	30	26,470	30¼ × 38½ × 27¼	285
TS040MR404A2	4	208–230 / 1	26.1	137.0	35.0	50	34,140	30¼ × 38½ × 27¼	306
TS040MR404A3	4	208–230 / 3	20.5	114.0	28.0	40	34,140	30¼ × 38½ × 27¼	306
TS050MR404A2A	5	208–230 / 1	31.8	169.0	42.2	70	42,347	30¼ × 42⅜ × 29¾	347
TS050MR404A3A	5	208–230 / 3	21.4	123.0	29.2	50	42,347	30¼ × 42⅜ × 29¾	347
TS060MR404A3	6	208–230 / 3	23.9	156.0	32.3	50	50,513	30¼ × 42⅜ × 29¾	354
TS075MR404A3	7½	208–230 / 3	39.3	225.0	53.9	70	73,100	38⅛ × 58¼ × 39¼	624
TS100MR404A3	10	208–230 / 3	52.9	298.0	70.9	100	96,333	38⅛ × 58¼ × 39¼	647

FREEZER · LOW TEMP (XR)

BTU/H at 95°F ambient, –20°F suction (–10°F box)

MODEL	HP	VOLT / PH	RLA	LRA	MCA*	MOPD	BTU/H**	W × D × H (IN)	LBS
TS010XR404A2	1	208–230 / 1	8.7	55.0	15.0	20	4,270	28¼ × 24½ × 20¾	177
TS015XR404A2	1½	208–230 / 1	13.6	68.0	17.5	30	5,746	28¼ × 24½ × 20¾	178
TS015XR404A3	1½	208–230 / 3	8.3	58.0	15.0	20	5,746	28¼ × 24½ × 20¾	178
TS020XR404A2A	2	208–230 / 1	13.6	61.0	17.9	30	6,720	28¼ × 38½ × 20¾	241
TS020XR404A3A	2	208–230 / 3	8.3	58.0	15.0	20	6,720	28¼ × 38½ × 20¾	241
TS025XR404A2A	2½	208–230 / 1	16.4	73.0	21.4	30	8,445	28¼ × 38½ × 20¾	246
TS025XR404A3A	2½	208–230 / 3	9.6	63.0	15.0	20	8,445	28¼ × 38½ × 20¾	246
TS030XR404A2A	3	208–230 / 1	14.3	88.0	18.8	30	9,032	28¼ × 38½ × 20¾	246
TS030XR404A3A	3	208–230 / 3	9.6	77.0	15.0	20	9,032	28¼ × 38½ × 20¾	246
TS035XR404A2A	3½	208–230 / 1	18.2	109.0	23.7	40	10,930	28¼ × 38½ × 20¾	250
TS035XR404A3A	3½	208–230 / 3	12.1	88.0	16.1	30	10,930	28¼ × 38½ × 20¾	250
TS045XR404A2A	4½	208–230 / 1	25.0	129.0	33.7	60	13,490	30¼ × 38½ × 27¼	322
TS045XR404A3A	4½	208–230 / 3	13.2	99.0	18.9	30	13,490	30¼ × 38½ × 27¼	322
TS055XR404A2A	5½	208–230 / 1	27.5	169.0	36.8	60	16,245	30¼ × 42⅜ × 29¾	346
TS055XR404A3A	5½	208–230 / 3	18.9	123.0	26.0	40	16,245	30¼ × 42⅜ × 29¾	346
TS060XR404A3A	6	208–230 / 3	21.8	156.0	29.7	50	19,880	30¼ × 42⅜ × 29¾	353
TS075XR404A3A	7½	208–230 / 3	26.7	224.0	35.8	60	24,460	38⅛ × 46⅜ × 38	481
TS100XR404A3	10	208–230 / 3	37.1	239.0	48.8	80	31,540	38⅛ × 46⅜ × 39¼	537

RLA and LRA are for the compressor. *MCA does not include the evaporator fans or defrost heaters. **Capacity with R-448A. Also available for freezers: TD semi-hermetic Discus, 3-phase, at 4, 6, 7½ and 10 HP. **Warranty:** 1 year parts and 1 year compressor, labor not included; optional 4-year extended compressor warranty (5 years total).

LOW-PROFILE EVAPORATORS

Hang from the ceiling inside the box. Dual-speed EC fans, blue anti-corrosion fins, 6 fins per inch. R-448A expansion valve, solenoid valve and digital temperature control come mounted (NC suffix).



ADR · COOLER, AIR DEFROST

BTU/H at 10°F TD, 25°F suction, R-448A


MODEL	BTU/H*	FANS	CFM	VOLT / PH	FAN A	DEFROST A	SUCTION	LENGTH	LBS
ADR060AENC	6,022	1	772	115 / 1	0.75	–	5/8	29⅜	30
ADR089AENC	8,947	2	1,555	115 / 1	1.50	–	5/8	45⅜	45
ADR112AENC	11,234	2	1,544	115 / 1	1.50	–	5/8	45⅜	48
ADR125AENC	12,561	2	1,544	115 / 1	1.50	–	7/8	45⅜	49
ADR137AENC	13,697	3	2,333	115 / 1	2.25	–	7/8	61⅜	62
ADR171AENC	17,159	3	2,316	115 / 1	2.25	–	7/8	61⅜	67
ADR191AENC	19,157	3	2,316	115 / 1	2.25	–	7/8	61⅜	68
ADR258AENC	25,821	4	3,088	115 / 1	3.00	–	7/8	77⅜	87
ADR325AENC	32,519	5	3,860	115 / 1	3.75	–	1⅛	93½	105
ADR352AENC	35,220	6	4,632	115 / 1	4.50	–	1⅛	109½	124
ADR392AENC	39,248	6	4,632	115 / 1	4.50	–	1⅛	109½	127

LED · FREEZER, ELECTRIC DEFROST

BTU/H at 10°F TD, –20°F suction, R-448A

MODEL	BTU/H*	FANS	CFM	VOLT / PH	FAN A	DEFROST A	SUCTION	LENGTH	LBS
LED036BENC	3,678	1	772	208–230 / 1	0.45	4.4 (1,020 W)	5/8	29⅜	32
LED052BENC	5,247	2	1,555	208–230 / 1	0.90	8.7 (2,010 W)	5/8	45⅜	48
LED072BENC	7,244	2	1,544	208–230 / 1	0.90	8.7 (2,010 W)	5/8	45⅜	52
LED081BENC	8,181	2	1,544	208–230 / 1	0.90	8.7 (2,010 W)	7/8	45⅜	53
LED090BENC	9,027	3	2,333	208–230 / 1	1.35	13.0 (3,000 W)	7/8	61⅜	67
LED114BENC	11,431	3	2,316	208–230 / 1	1.35	13.0 (3,000 W)	7/8	61⅜	73
LED124BENC	12,454	4	3,111	208–230 / 1	1.80	17.0 (3,900 W)	7/8	77⅜	86
LED157BENC	15,723	4	3,088	208–230 / 1	1.80	17.0 (3,900 W)	1⅛	77⅜	93
LED176BENC	17,657	4	3,088	208–230 / 1	1.80	17.0 (3,900 W)	1⅛	77⅜	95
LED225BENC	22,509	5	3,860	208–230 / 1	2.25	20.9 (4,800 W)	1⅛	93½	116
LED244BENC	24,456	6	4,632	208–230 / 1	2.70	26.1 (6,000 W)	1⅛	109½	134
LED273BENC	27,392	6	4,632	208–230 / 1	2.70	26.1 (6,000 W)	1⅛	109½	137

Connections. ½" OD coil inlet, ¼" OD equalizer, ¾" MPT drain; suction (ID) as listed. Defrost heater amps at 230V 1-phase.
*Capacity at 105°F condensing, 6.5°F superheat, 9°F subcooling.
Warranty: 1 year parts, labor not included.



COLD STORAGE AT WAREHOUSE SCALE

Foam-in-place continuous panels, 4", 5" or 6" thick, with no cam-locks, for refrigerated and frozen warehouses and large projects. We design, build and install for food manufacturers, distributors, caterers, pharmaceutical companies, meat packers, produce distributors and ice companies.

UP TO 20'

From stock panels. Ships in 72 hours.

20' TO 40'

Available by special order.

FLOORS

Insulated concrete floor for forklift operation.

CEILINGS

Ceiling panels mostly hung from the roof structure.



Distribution floor



Sliding-door corridor



Pallet racking



Suspended ceiling

IN-HOUSE DESIGN · PROFESSIONAL INSTALLATION

REQUEST A QUOTE · (908) 315-3222

GLASS DOOR WALK-IN COOLERS

A glass-door front on any Astra box: reach-in merchandising for c-stores, grocery and beer caves. Choose Anthony or Astra SKY door sets, both in stock and shipped with the box in 72 hours.



2	2–5	7	72 HRS
door brands	doors per set	shelves per door	to ship

CHOOSE YOUR DOORS

	OPTION 1 Anthony® 401 SERIES	OPTION 2 ASTRA SKY
Door sizes	**30" × 79"**	**24" × 75" or 30" × 79"**
Sets in stock	**2, 3, 4 or 5 doors**	**2, 3, 4 or 5 doors**
Temperature	**Cooler and freezer sets**	**Cooler and freezer sets**
Lighting	**Optimax 7 LED in every mullion**	**LED lit doors**
Frame	**Heated frame rail, silver or black**	**Black**
Shelves	**7 wire shelves per door, 27" deep**	**7 wire shelves per door**
Beer cave door	**401N-3680-1D-MT, 36" × 80"**	**SKY-3680-CGA1, 36" × 80"**

Anthony® 401 SERIES FEATURES

GLASS

- Cooler: 2-pane, argon filled
- Freezer: 3-pane low-E, argon
- Door Air Shield anti-sweat

EVERYDAY USE

- Door stop limits opening to 87°
- Automatic hold-open for stocking
- Reversible door swing

RATED AND TESTED

- UL · cUL, DOE compliant
- 500,000-cycle tested
- 12 months parts and labor, 10-year glass seal

Fits every line. Glass fronts go on Standard, Tall, Wide and Premium boxes, single boxes and 2-room combos. Stock sets and models on page 24.

STOCK GLASS DOOR SETS


Anthony and Astra SKY sets of 2 to 5 doors, cooler and freezer, ready to frame into any Astra box.




2-DOOR FRAME



3-DOOR FRAME



4-DOOR FRAME



5-DOOR FRAME

Anthony 401 SERIES

30" × 79" doors, full-length handles

SET	COOLER (2-PANE)	FREEZER (3-PANE)	NET OPENING W × H
2 doors	**401N-3079-2D-MT**	**401N-3079-2D-LT**	62¼" × 79"
3 doors	**401N-3079-3D-MT**	**401N-3079-3D-LT**	92 11/16" × 79"
4 doors	**401N-3079-4D-MT**	**401N-3079-4D-LT**	123⅛" × 79"
5 doors	**401N-3079-5D-MT**	**401N-3079-5D-LT**	153 9/16" × 79"

Net opening is the hole to cut in the front wall panels for the frame. Sets butt together into longer runs; leave at least 6" of wall at each end of a run.

ASTRA SKY

LED lit, black frame, 7 wire shelves per door

SET	COOLER 24" × 75"	COOLER 30" × 79"	FREEZER 30" × 79"	FRAME W × H
2 doors	**SKY-2475-CG2**	–	**SKY-3079-FG2**	62½" × 81.4"
3 doors	**SKY-2475-CG3**	**SKY-3079-CG3**	**SKY-3079-FG3**	93" × 81.4"
4 doors	**SKY-2475-CG4**	**SKY-3079-CG4**	**SKY-3079-FG4**	123½" × 81.4"
5 doors	**SKY-2475-CG5**	–	**SKY-3079-FG5**	154" × 81.4"

ANTHONY DOOR SPECIFICATIONS

	COOLER DOOR	FREEZER DOOR
Box temperature	**35°F**	**–10°F**
Model	**401N-3079-#D-MT**	**401N-3079-#D-LT**
Glass	**2-pane reflective, warm edge, argon filled**	**3-pane low-E reflective, argon filled**
Energy use*	**3.3 kWh/day**	**9.26 kWh/day**

Same for cooler and freezer doors: 30" × 79" nominal, door leaf 29⅞" × 77 1/16" · non-heated glass, heated frame rail and Door Air Shield anti-sweat · Optimax 7 low-power LED in every mullion, 1 energy controller per frame · 7 wire shelves per door, 27" deep, included · about 255 lb per door · 12 months parts and labor, 10-year glass seal · electrical: [volts and amps per set, confirm with Anthony] · *Energy: Anthony rating for a 4-door 30" × 75" lineup.

BEER CAVE DOORS · 36" × 80": Anthony **401N-3680-1D-MT** (net opening 37⅜" × 81", push bar available). Astra **SKY-3680-CGA1** (LED lit, 38" × 82.2" frame). In stock: 10" stainless kickplates, interior push bar, extra shelves.




OUTDOOR PACKAGE

Every box Astra makes, in every line and every size, comes in an outdoor version. Same panels, same doors, same 72-hour Quick Ship. We add two things.



1
RAIN ROOF COVER

2
DOOR HOOD



RAIN ROOF COVER

A heavy-duty vinyl cover over the ceiling panels, held down with installation brackets. Sheds rain and snow so water never sits on the box or reaches the panel joints.

DOOR HOOD

A hood over the entry door keeps rain and snow off the door, the gasket and the person opening it.

OUTDOOR REFRIGERATION

Turbo Air outdoor top-mount packages (page 19) or outdoor remote condensing units (page 20), sized to your box.

Everything else stays the same. Standard, Tall, Wide and Premium, every size on pages 8–9, single boxes and 2-room combos. Just ask for the outdoor version with your quote.

BUILT TO LAST, BACKED IN WRITING

WARRANTY AND CERTIFICATIONS

10 YEARS
Astra panel parts

2 YEARS
Top-mount parts and compressor

1 YEAR
Top-mount labor

1 YEAR
Remote condensing units and evaporators, parts

1 YEAR
Astra doors, parts

Optional 4-year extended compressor warranty on remote condensing units. Anthony glass doors carry Anthony's own warranty. Installation and shipping damage are not covered; full terms on request.

CERTIFIED AND COMPLIANT

STANDARD	COVERS	STATUS
NSF	Sanitation for food storage	**Listed**
UL	Electrical and product safety	**Listed**
DOE	Walk-in energy efficiency rules	**Compliant**
ASTM C518	Insulation thermal performance	**Tested**
ASTM E84	Flame spread and smoke	**Tested**
UL 723	Flame spread and smoke	**Tested**
AutoQuotes	Specs for foodservice designers	**Listed**



IN THE FIELD

ASTRA PROJECTS

Walk-ins, combos and refrigerated warehouses built from Astra panels, from a single courtyard cooler to drive-in racking.



PLANNING A PROJECT?

(908) 315-3222 · info@GalaxyGroupCorp.com

ASTRA®

245,256 CONFIGURATIONS. SHIPPED IN 72 HOURS.

Quick Ship, redefined: every standard size, every cooler/freezer split and every door position, built from stock panels in Kearny, NJ. Whatever the size or complexity of the project, your walk-in fits.

TRUSTED BY BRANDS YOU KNOW

REFERENCES

DO&CO · Key Food · Taco Bell · Dunkin' Donuts · Popeyes · wagamama

Hudson Yards · C-Town · Met Foodmarkets · Associated · Bravo Supermarkets · Foodtown

Trade Fair Supermarket · Western Beef · Goldberg's · Bisra Meats · Fresh Baguette · Gastro Market

Heavenly Market · Hundredweight Big Ice · IGO Indian Grocery Outlet · Vintage · Okka Foods Market · Sabzi Mandi Supermarket

Taikun Pharma Services · Sahadi's · Espinosa Beef · And Many More

GET A QUOTE TODAY

GALAXY GROUP

Galaxy Group Inc.
899 Newark Tpke, Kearny, NJ 07032
T: (908) 315-3222
info@GalaxyGroupCorp.com

GalaxyGroupCorp.com